


POWAGroup

PowAMesh

Easy Access & Simple Installation




PowAMesh

Easy Access & Simple Installation



Key Features

- Tested in accordance with the Nema requirements
- Flexible & lightweight solution with an open-weave design



Cable Laying Width (mm)

Product Code

75mm x 3 mtrs

08MCT75

150mm x 3 mtrs

08MCT150

300mm x 3 mtrs


08MCT300

450mm x 3 mtrs

08MCT450

600mm x 3 mtrs

08MCT600



Load in kg/m per support centres (mm):

Span	1500mm	2000mm	2500mm	3000mm
Load Rating	111kg/m	62kg/m	40kg/m	27.87kg/m
Deflection	22mm	29mm	41mm	51mm


The data displayed is based on physical test results of a 600 wide section and may vary for other widths. The Deflections have been provided as a guide based on continuous spans, and cannot be applied to end spans. Data provided assumes that the installation will be carried out in accordance with Nema VE2. Non compliance may affect the overall product performance.

PowAMesh


Easy Access & Simple Installation



PowAMesh Accessories




Mesh Tray Quick Splice Plate
Product Code: **08MTSP**




Mesh Tray Cable Guide
Product Code: **08MTCG**



Mesh Tray Corner Splice Clip
Product Code: **08MTCSC**



Mesh Tray Bolt Joiner
Product Code: **08MTBJ**



Mesh Tray Trapeze Bracket
Product Code: **08MTTB213**



Mesh Tray Quick Hold Down Bracket
Product Code: **08MTQHDB**






Mesh Tray Hold Down Bracket
Product Code: **08MTHDB**



Mesh Tray Hanging Clip
Product Code: **08MTHC**

PowAMesh

Easy Access & Simple Installation



Connector Assembly Number


Nominal Width mm	08MTBJ
75	2
150	2
300	2
450	3
600	3

An alternative when making bends. Mainly used for smaller wire mesh trays.

Finish:

H - Hot Dip Galvanised
(made to order)


PG - Pregal



Note - Powder coating and special finishes on request against firm orders only and are non returnable.






PowAMesh

Easy Access & Simple Installation



Connector Assembly Number

Nominal Width mm	08MTBJ
75	2
150	2
300	2
450	3
600	3



Connector Assembly Number

Nominal Width mm	08MTBJ
75	2
150	2
300	2
450	3
600	3